







Note: Pictures are for illustration only, and may not reflect the listed model.



	and may not refreet the noted model.							
GENERAL								
REFRIGERANT VOLTAGE		EVAPORATOR MODEL	DEFROST SCHEME	CONTROLLER	LISTINGS			
R-448A/R-449A	208-230/60/1	WV6A085DDA	REVERSE CYCLE	MASTER CONTROLLER	UL/CUL			

BTUH CAPACITY (At Saturated Suction Temperature (SST) with 10 <sup>0</sup> TD)								
-30	-20	-10	20	25	30	35	45	
-	-	-	-	10,100	10,262	10,424	10,748	

	DIMENSIO	NAL DATA		INSTALLATION			
OVERALL (inches)				CONNE	CTIONS	REFRIGERANT	
L	W	Н	WT (lbs)	LIQUID	SUCTION	TYPE	
52	28.375	11.25	80	3/8	7/8	R-448A/R-449A	

	EVAPORATOR E	LECTRICAL DATA		EXPANSION	ON VALVE	DISTRIBUTOR NOZZLE/ORIFICE	
FAN	FAN	DEFROST AMPS		TXV/EEV			
QUANTITY	AMPS	1 PHASE	3 PHASE	PART NUMBER	MODEL NUMBER	PART NUMBER	TYPE
2	1.0	N/A	N/A	19-13772	SER-6	-	L, #3/4

