



Refrigerated Solutions Group®



## **CAPSULE PAK™ & CAPSULE PAK ECO™** Refrigeration Systems

*Built for easy installation and efficient operation.*

## SYSTEM GUIDE

### Capsule Pak™ Self-Contained Systems



One-piece packaged systems with condensing unit and evaporator coil in a single housing. Available in indoor and outdoor models.



**R-449A**  
ECO-FRIENDLY  
REFRIGERANT

### Capsule Pak™ Remote Systems

Indoor and outdoor remote refrigeration systems consisting of a separate evaporator coil and condensing unit which are quick-connected using pre-charged refrigerant line sets.



**R-449A**  
ECO-FRIENDLY  
REFRIGERANT



Evaporator section  
located on top of walk-in.

Condensing unit section  
remotely located.

### Capsule Pak ECO™ Systems



Built for maximum sustainability and energy efficiency with a significantly reduced Global Warming Potential of 3, these one-piece indoor systems also take up less space.



**R290**  
ECO-FRIENDLY  
NATURAL REFRIGERANT



**PATENT  
PENDING  
DESIGN**

## SYSTEM FEATURES



Flush mounted evaporator coil in the walk-in ceiling panel for maximum interior storage space.



Standard LogiTemp® electronic controller increases refrigeration system reliability and food safety.




Standard cord and plug eliminating the need for field electrical connection (not applicable on remote models).

| FEATURE  | 1-PIECE<br>SELF-CONTAINED<br>CAPSULE PAK<br>WITH R449A | 2-PIECE<br>CAPSULE PAK<br>REMOTE<br>WITH R449A | CAPSULE PAK<br>ECO<br>WITH R290 |
|--|--|--|---------------------------------|
| Indoor and outdoor models  | ✓  | ✓  | Indoor Only                     |
| Available for coolers (+37°F) or freezers (-10°F)                                    | ✓  | ✓  | ✓                               |
| Pre-charged with refrigerant eliminating the need for field refrigeration connection | ✓  | ⊗  | ✓                               |
| Remote system with pre-charged line sets   | ⊗  | ✓  | ⊗                               |
| Designed to operate in ambient temperatures up to 100°F                              | ✓  | ✓  | ✓                               |
| Air cooled condensing unit   | ✓  | ✓  | ✓                               |
| Automatic condensate evaporator (indoor models only)                                 | ✓  | ⊗  | ✓                               |
| Electronic control provided for automatic defrost on both coolers and freezers       | ✓  | ✓  | ✓                               |
| UL and C-UL electrical listing on complete refrigeration systems*                    | ✓  | ✓  | ✓                               |
| AWEF compliant   | ✓  | ✓  | ✓                               |
| DOE, CARB and SNAP compliant   | ✓  | ✓  | ✓                               |
| -20°F ambient controls (outdoor models)  | ✓  | ✓  | ⊗                               |
| Systems for outdoor walk-ins contain a crankcase heater and head master              | ✓  | ✓  | ⊗                               |
| 18 months parts and labor warranty   | ✓  | ✓  | ✓                               |
| Patent pending design  | ⊗  | ⊗  | ✓                               |
| Optional electric vaporizer (indoor models only)                                     | ✓  | ✓  | ✓                               |
| Optional condensing unit air deflection kit  | ✓  | ✓  | ✓                               |
| Optional lengths of pre-charged refrigerant lines                                    | ⊗  | ✓  | ⊗                               |
| Optional wiring harness  | ⊗  | ✓  | ⊗                               |
| Optional 5 year compressor warranty  | ✓  | ✓  | ✓                               |

\* C-UL is Underwriters Laboratories Safety Certification Mark which indicates that UL has tested the equipment to applicable CSA Standards.



 891 County Road U • Hudson, WI 54016  
800-647-1284 • [master-bilt.com](http://master-bilt.com)  
Refrigerated Solutions Group® 800-955-5253 • [norlake.com](http://norlake.com)