

CAPSULE PAK ECO™ & CAPSULE PAK REMOTE REFRIGERATION SYSTEMS

Built for Easy Installation
and Efficient Operation



SYSTEM GUIDE

Capsule Pak ECO™ Self-Contained Systems

Built for maximum sustainability and energy efficiency with a significantly reduced Global Warming Potential of 3, these one-piece indoor and outdoor systems also take up less space.



Outdoor
model

R290
REFRIGERANT



**PATENTED
TECHNOLOGY**
U.S. Patent No. 11,859,885



Indoor
model

Capsule Pak™ Remote Systems

Indoor and outdoor remote refrigeration systems consisting of a separate evaporator coil and condensing unit which are quick-connected using pre-charged refrigerant line sets.



Evaporator section located on top of walk-in

A2L
REFRIGERANT



Condensing unit section remotely located

SYSTEM FEATURES



Flush mounted evaporator coil in the walk-in ceiling panel for maximum interior storage space.



Standard LogiTemp® electronic controller increases refrigeration system reliability and food safety.



Standard 115V cord and plug eliminating the need for field electrical connection (not applicable on remote models).

FEATURE	CAPSULE PAK ECO	CAPSULE PAK REMOTE
Indoor and outdoor models	✓	✓
Available for coolers (+37°F) or freezers (-10°F)	✓	✓
Pre-charged with refrigerant eliminating the need for field refrigeration connection	✓	⊗
Remote system with pre-charged line sets	⊗	✓
Designed to operate in ambient temperatures up to 100°F	✓	✓
Air cooled condensing unit	✓	✓
Automatic condensate evaporator (indoor models only)	✓	⊗
Electronic control provided for automatic defrost on both coolers and freezers	✓	✓
UL and C-UL electrical listing on complete refrigeration systems*	✓	✓
AWEF compliant	✓	✓
DOE, CARB and SNAP compliant	✓	✓
-20°F ambient controls (outdoor models)	✓	✓
Systems for outdoor walk-ins contain a crankcase heater	✓	✓
Systems for outdoor walk-ins contain a head master	⊗	✓
Patented technology	✓	⊗
Heater in outdoor cooler models prevents product from freezing in low ambient conditions (patent pending)	✓	⊗
18 months parts and labor warranty	✓	✓
Optional electric vaporizer (indoor models only)	✓	✓
Optional condensing unit air deflection kit	✓	✓
Optional lengths of pre-charged refrigerant lines	⊗	✓
Optional wiring harness	⊗	✓
Optional 5 year compressor warranty	✓	✓

* C-UL is Underwriters Laboratories Safety Certification Mark which indicates that UL has tested the equipment to applicable CSA Standards.

